

Isupreal
 Lidocaine
 Neosynephrine/Nipride
 NTG
 Pronestyl
 Titrate Morphine
 Verapamil
 Thrombolytic Agents
 Preparation/Titration of Emergency Drugs

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

RESPIRATORY:

Ambuing Techniques
 Chest Tubes (Emerson/Pleuravac)
 Drawing ABG Blood Samples from A-Line
 Establishing an Airway
 Incentive Spirometer
 Interpretation of ABG
 Pulse Oximetry
 Use of IPPB
 Use of Pressure Support

| Highly Skilled | Skilled | Limited | With Assistance | No Experience |
|----------------|---------|---------|-----------------|---------------|
|----------------|---------|---------|-----------------|---------------|

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Care of Patient With:

ARDS
 COPD
 Inhalation Injuries
 Pneumonia
 Pre/Post Thoracic Surgery
 Pulmonary Embolism
 Pulmonary Edema

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Use and Administration Of:

Alupent
 Aminophylline
 Bronkosol
 Corticosteroids
 Ventolin

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

NEUROLOGY:

Assessment of Neuro Signs
 Assist with Lumbar Puncture
 Crutchfield Tongs
 Glasgow Coma Scale
 Halo Traction
 ICP Monitoring
 Seizure Precautions
 Stryker Frame

| Highly Skilled | Skilled | Limited | With Assistance | No Experience |
|----------------|---------|---------|-----------------|---------------|
|----------------|---------|---------|-----------------|---------------|

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Esophagael Bleeding
 G.I. Bleed
 Liver Transplant

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |

GENITOURINARY/RENAL:

Electrolyte Imbalance/Replacement
 Foley Catheter Insertion
 GU Irrigation
 Nephrostomy Tube
 Suprapubic Tube

| Highly Skilled | Skilled | Limited | With Assistance | No Experience |
|----------------|---------|---------|-----------------|---------------|
|----------------|---------|---------|-----------------|---------------|

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Care of Patient With:

Nephrectomy
 Renal Transplant
 Renal Failure
 Renal Trauma
 Shunts and Fistulas
 T.U.R.P.

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

TRANSPLANTS:

Heart
 Lung

| Highly Skilled | Skilled | Limited | With Assistance | No Experience |
|----------------|---------|---------|-----------------|---------------|
|----------------|---------|---------|-----------------|---------------|

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |

MISCELLANEOUS SKILLS:

Accucheck
 Chemotherapy
 Diabetic Teaching
 Hyperbaric Oxygenation
 Isolation Techniques
 Oncology

| Highly Skilled | Skilled | Limited | With Assistance | No Experience |
|----------------|---------|---------|-----------------|---------------|
|----------------|---------|---------|-----------------|---------------|

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Please mark the following types of Cardiac Monitors you are familiar with and can operate independently:

Hewlett Packard
 Lifecare
 Marquette
 Mennen

| |
|--|
| |
| |
| |
| |

Nibon Koder
 Siemens
 Spacelab

| |
|--|
| |
| |
| |

Please mark the following types of Ventilators you are familiar with and can operate independently:

| | | | |
|------------------|--------------------------|----------------|--------------------------|
| Bear I | <input type="checkbox"/> | Engstrom/Erica | <input type="checkbox"/> |
| Bear II | <input type="checkbox"/> | EMV | <input type="checkbox"/> |
| Bear V | <input type="checkbox"/> | MA-I | <input type="checkbox"/> |
| Bennett 7200 | <input type="checkbox"/> | MA-II | <input type="checkbox"/> |
| CPAP | <input type="checkbox"/> | Monihan | <input type="checkbox"/> |
| Emerson | <input type="checkbox"/> | Ohio 560 | <input type="checkbox"/> |
| PEEP | <input type="checkbox"/> | Servo 900c | <input type="checkbox"/> |
| Pressure Pre-Set | <input type="checkbox"/> | Servo 900e | <input type="checkbox"/> |
| Servo 900b | <input type="checkbox"/> | Siemens | <input type="checkbox"/> |

I hereby certify that all information provided herein is true and correct to the best of my knowledge:

Signature _____ Date _____